	Ref #	Hits	Search Text	DBs	Time Stamp	Type
1	S343	68	S342 AND "725"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/05/15 13:16	BRS
2	S342	1057	S340 and keyboard	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/05/15 13:15	BRS
3	S349	51	"6133909"..pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/05/15 13:31	BRS
4	S347	118	S338 same ((channel program) NEAR3 (macro "pre-set"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/05/15 13:21	BRS
5	S348	48	S347 AND ((@ad <= "19970930") or (@rlad <= "19970930"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/05/15 13:30	BRS
6	S340	1438	S339 AND ((@ad <= "19970930") or (@rlad <= "19970930"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/20 14:34	BRS

	Ref #	Hits	Search Text	DBs	Time Stamp	Type
7	S341	90	S340 AND "725"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/05/15 13:15	BRS
8	S346	8	S345 AND "725"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/05/15 13:21	BRS
9	S345	89	S344 AND ((@ad <= "19970930") or (@rlad <= "19970930"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/05/15 13:22	BRS
10	S344	368	S338 AND ((keyword "key word" text) NEAR2 (search list)) SAME keyboard	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/05/15 13:16	BRS
11	S337	2	"20060259940".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/05/15 13:11	BRS
12	S336	2	"20040210935".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/05/15 12:49	BRS

	Ref #	Hits	Search Text	DBs	Time Stamp	Type
13	S338	245435	EPG ((program video TV cable channel television movie user viewer consumer) NEAR2 (guide menu list$3 schedule)) IPG	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/05/15 13:13	BRS
14	S350	2	"6133909".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/05/15 16:44	BRS
15	S339	8662	S338 AND ((keyword "key word" text) NEAR2 (search list))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/05/15 13:15	BRS
16	S351	51	"6133909"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/05/15 16:57	BRS
17	S352	147	brown-r$.xa.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/05/15 16:58	BRS
18	S353	0	S352 and ("x-link" or "x link")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/05/15 16:58	BRS

	Ref #	Hits	Search Text	DBs	Time Stamp	Type
19	S363	3	S358 AND "348"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/14 18:42	BRS
20	S355	457	S354 AND ((@ad <= "19970930") or (@rlad <= "19970930"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/14 18:36	BRS
21	S362	3	S358 AND "345"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/14 18:42	BRS
22	S361	9	S358 AND "715"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/14 18:40	BRS
23	S360	2	S358 AND "725"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/14 18:49	BRS
24	S356	54	S355 AND "725"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/14 18:36	BRS

	Ref #	Hits	Search Text	DBs	Time Stamp	Type
25	S359	50	S358 AND ((@ad <= "19970930") or (@rlad <= "19970930"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/14 18:49	BRS
26	S358	50	S357 AND ((@ad <= "19970930") or (@rlad <= "19970930"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/14 18:36	BRS
27	S357	196	(channel program show broadcast) NEAR4 (macro) NEAR4 (button key icon)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/14 18:45	BRS
28	S378	51	S377 AND "725"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/14 21:41	BRS
29	S369	13	("4412218" | "4959810" | "5345226" | "5414426" | "5654714" | "5726645" | "5745068" | "5761604" | "5781247" | "5847305" | "5959751" | "6166778" | "6215531").PN.	US-PGPUB; USPAT; USOCR	2007/06/14 19:26	BRS
30	S377	93	S376 AND ((@ad <= "19970930") or (@rlad <= "19970930"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/14 21:04	BRS

	Ref #	Hits	Search Text	DBs	Time Stamp	Type
31	S384	163	S382 AND "715"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/14 21:54	BRS
32	S375	52	S374 AND "725"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/14 20:59	BRS
33	S373	1763	(favorite preset predetermined) NEAR5 (bookmark program) NEAR5 (button key icon shortcut bookmark)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/20 14:32	BRS
34	S367	2	("5640673" | "5648760").PN.	US-PGPUB; USPAT; USOCR	2007/06/14 19:22	BRS
35	S368	5	("5761604").URPN.	USPAT	2007/06/14 19:23	BRS
36	S372	81	S371 AND ((@ad <= "19970930") or (@rlad <= "19970930"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/14 20:35	BRS
37	S374	528	S373 AND ((@ad <= "19970930") or (@rlad <= "19970930"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/14 20:59	BRS

	Ref #	Hits	Search Text	DBs	Time Stamp	Type
38	S370	4997	(favorite preset predetermined) NEAR4 (executable code applet Java macro function program) NEAR4 (button key icon shortcut)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/14 19:57	BRS
39	S371	258	S370 AND "725"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/14 20:35	BRS
40	S376	193	(($2active closed secondary open) NEAR3 (window screen)) WITH ((channel program TV) NEAR2 (change select$3 tun$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/14 21:09	BRS
41	S383	27	S382 AND "725"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/14 21:51	BRS
42	S380	25	S379 AND ((@ad <= "19970930") or (@rlad <= "19970930"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/14 21:41	BRS
43	S379	60	((background) NEAR3 (window screen)) WITH ((channel program TV) NEAR2 (change select$3 tun$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/14 21:03	BRS

	Ref #	Hits	Search Text	DBs	Time Stamp	Type
44	S382	940	S381 AND ((@ad <= "19970930") or (@rlad <= "19970930"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/14 21:41	BRS
45	S381	3130	((inactive closed secondary background) NEAR3 (window screen view viewport)) WITH (command function instruction code execut$3 JAVA)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/14 21:10	BRS
46	S385	29	S382 AND "709"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/14 21:54	BRS
47	S354	1111	(channel program) NEAR2 (macro program) NEAR2 (button key icon)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/14 18:35	BRS
48	S365	3698	S364 AND ((@ad <= "19970930") or (@rlad <= "19970930"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/14 19:38	BRS
49	S366	185	S365 AND "725"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/14 19:38	BRS

	Ref #	Hits	Search Text	DBs	Time Stamp	Type
50	S364	9048	(channel program show broadcast movie) NEAR4 (executable code applet Java macro function) NEAR4 (button key icon shortcut)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/14 19:35	BRS
51	S388	190	715/767.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/15 15:23	BRS
52	S389	18	S388 AND ((@ad <= "19970930") or (@rlad <= "19970930"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/15 15:50	BRS
53	S387	11	("4974173" | "5309555" | "5463726" | "5564002" | "5726687" | "5742285" | "5841435" | "5874936" | "5874960" | "5938724" | "6016110").PN.	US-PGPUB; USPAT; USOCR	2007/06/15 15:21	BRS
54	S391	40	S390 NOT S389	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/15 15:27	BRS
55	S390	41	715/802.ccls. AND ((@ad <= "19970930") or (@rlad <= "19970930"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/15 15:27	BRS

	Ref #	Hits	Search Text	DBs	Time Stamp	Type
62	S397	50	("4313113" | "4484302" | "4555775" | "4688167" | "4698624" | "4698625" | "4720703" | "4780883" | "4819189" | "4831556" | "4862376" | "4868765" | "4905185" | "4922414" | "4954967" | "5047930" | "5060135" | "5079695" | "5140677" | "5157763" | "5196838" | "5202828" | "5214756" | "5226117" | "5226163" | "5228123" | "5252951" | "5260697" | "5261043" | "5287448" | "5301268" | "5305435" | "5309555" | "5315703" | "5317687" | "5333256" | "5333298" | "5339392" | "5341293" | "5371844" | "5371851" | "5388198" | "5392390" | "5400057" | "5422993" | "5428734" | "5442742" | "5579521" | "5598524" | "5638505").PN.	US-PGPUB; USPAT; USOCR	2007/06/15 15:51	BRS
63	S400	14	("4398246").URPN.	USPAT	2007/06/15 16:08	BRS
64	S399	11	("4392197").URPN.	USPAT	2007/06/15 16:08	BRS
65	S398	13	("4398264").URPN.	USPAT	2007/06/15 16:07	BRS
66	S401	3007	((favorite preset predetermined) NEAR5 (button key icon shortcut bookmark)) WITH (program schedule movie)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/20 14:33	BRS

	Ref #	Hits	Search Text	DBs	Time Stamp	Type
67	S402	349	S401 AND "725"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/20 14:33	BRS
68	S403	108	S402 AND ((@ad <= "19970930") or (@rlad <= "19970930"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/20 14:34	BRS

L #	Search Text	DBs	Time Stamp	Type
1	L1	(macro AND "station identifier" AND (web Internet HTML HTTP) AND (PCTV "PC/TV" "PC-TV") AND ((retriev$3 search$3) NEAR2 (alphanumeric alphabet$3))).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 18:12	BRS
2	L2	725/39,52-53.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 15:40	BRS
3	L3	2 AND (macro AND "station identifier" AND (PCTV "PC/TV" "PC-TV") AND ((retriev$3 search$3) NEAR5 (alphanumeric alphabet$3))).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 15:28	BRS
4	L4	2 AND (macro AND "station identifier" AND ((retriev$3 search$3) NEAR5 (alphanumeric alphabet$3))).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 15:30	BRS
5	L5	brusky-kev$.in. or ellis-will$.in. or sturgeon-derr$.in. or brusky-kerr$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 15:40	BRS
6	L6	(macro AND "station identifier" AND (web Internet HTML HTTP) AND (PCTV "PC/TV" "PC-TV") AND ((retriev$3 search$3) NEAR2 (alphanumeric alphabet$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 15:32	BRS
7	L7	(macro AND "station identifier" AND (web Internet HTML HTTP) AND ((retriev$3 search$3) NEAR2 (alphanumeric alphabet$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 15:32	BRS

	L #	Search Text	DBs	Time Stamp	Type
8	L8	(macro AND "station identifier" AND ((retriev$3 search$3) NEAR2 (alphanumeric alphabet$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 15:33	BRS
9	L9	((station channel network) NEAR3 (name number identifier)) AND ((retriev$3 search$3) NEAR2 (alphanumeric alphabet$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 18:12	BRS
10	L10	725/39,52-53.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 15:34	BRS
11	L11	9 AND ((@ad <= "19970930") or (@rlad <= "19970930"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 15:45	BRS
12	L12	(((station channel network) NEAR3 (name number identifier)) AND ((retriev$3 search$3) NEAR2 (alphanumeric alphabet$3))).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 18:03	BRS
13	L13	2 AND 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 15:37	BRS
14	L14	5 AND 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 15:37	BRS

	L #	Search Text	DBs	Time Stamp	Type
15	L15	((station channel network) NEAR3 (name number identifier)) AND ((retriev$3 search$3) NEAR2 (alphanumeric alphabet$3))	US-PGPUB	2007/08/29 17:50	BRS
16	L16	brusky-kev$.in. or ellis-will$.in. or sturgeon-derr$.in. or brusky-kerr$.in.	US-PGPUB	2007/08/29 18:23	BRS
17	L17	15 AND 16	US-PGPUB	2007/08/29 15:40	BRS
18	L18	725/39,52-53.ccls.	US-PGPUB	2007/08/29 18:15	BRS
19	L19	15 AND 18	US-PGPUB	2007/08/29 15:41	BRS
20	L20	2 AND ((@ad <= "19970930") or (@rlad <= "19970930"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 15:58	BRS
21	L21	"5191423"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 15:58	BRS
22	L22	21 AND ((@ad <= "19970930") or (@rlad <= "19970930"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 17:50	BRS
23	L23	9 AND 22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 15:59	BRS

	L #	Search Text	DBs	Time Stamp	Type
24	L24	"725"/$.ccls. or "348"/$.ccls. AND ((retriev$3 search$3) NEAR2 (alphanumeric alphabet$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 17:51	BRS
25	L25	24 AND ((@ad <= "19970930") or (@rlad <= "19970930"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 17:52	BRS
26	L26	((station channel network) NEAR5 (name number identifier ID)) AND ((retriev$3 search$3) NEAR5 (alphanumeric alphabet$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 18:14	BRS
27	L27	"725"/$.ccls. or "348"/$.ccls. AND 26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 17:52	BRS
28	L28	"725"/$.ccls. or "348"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 18:13	BRS
29	L29	26 AND 28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 17:52	BRS
30	L30	29 AND ((@ad <= "19970930") or (@rlad <= "19970930"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 18:13	BRS

	L #	Search Text	DBs	Time Stamp	Type
31	L31	(((station channel network) NEAR3 (name number identifier)) AND ((retriev$3 search$3) NEAR2 (alphanumeric alphabet$3))).clm.	US-PGPUB	2007/08/29 18:03	BRS
32	L32	18 AND ((retriev$3 search$3) NEAR2 (alphanumeric alphabet$3)).clm.	US-PGPUB	2007/08/29 18:03	BRS
33	L33	(macro AND "station identifier" AND (web Internet HTML HTTP) AND (PCTV "PC/TV" "PC-TV") AND ((retriev$3 search$3) NEAR2 (alphanumeric alphabet$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 18:12	BRS

	L #	Hits	Search Text	DBs	Time Stamp	Type
34	L34	125	((station channel network) NEAR3 (name number identifier)) AND ((retriev$3 search$3) NEAR2 (alphanumeric alphabet$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 18:25	BRS
35	L35	143066	"725"/$.ccls. or "348"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 18:13	BRS
36	L36	11	34 AND 35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 18:14	BRS
37	L37	1	36 AND ((@ad <= "19970930") or (@rlad <= "19970930"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 18:15	BRS
38	L38	402	((station channel network) NEAR5 (name number identifier ID)) AND ((retriev$3 search$3) NEAR5 (alphanumeric alphabet$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 18:14	BRS
39	L39	31	38 AND 35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 18:14	BRS
40	L40	9	39 AND ((@ad <= "19970930") or (@rlad <= "19970930"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 18:15	BRS

	L #	Hits	Search Text	DBs	Time Stamp	Type
41	L41	832	725/39,52-53.ccls.	US-PGPUB	2007/08/29 18:17	BRS
42	L42	53	41 AND ((@ad <= "19970930") or (@rlad <= "19970930"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 18:18	BRS
43	L43	1289	725/39,52-53.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 18:18	BRS
44	L44	239	43 AND ((@ad <= "19970930") or (@rlad <= "19970930"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 18:18	BRS
45	L45	186	44 not 42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 18:18	BRS
46	L46	17	brusky-kev$.in. or ellis-will$.in. or sturgeon-derr$.in. or brusky-kerr$.in.	US-PGPUB	2007/08/29 18:24	BRS
47	L47	243	brusky-kev$.in. or ellis-will$.in. or sturgeon-derr$.in. or brusky-kerr$.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 18:24	BRS

	L #	Hits	Search Text	DBs	Time Stamp	Type
48	L48	0	46 AND 38	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 18:25	BRS
49	L49	0	46 AND 34	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 18:25	BRS